

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Parasilico Prestige Colour T

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

DL CHEMICALS N.V.
Roterijstraat 201-203
B-8793 Waregem
Belgium
T + 32 56 62 70 51 - F + 32 56 60 95 68
MSDS@dl-chem.com - www.dl-chem.com

1.4. Emergency telephone number

Emergency number : + 32 56 62 70 51
Only available during office hours.

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412
Contains Fungicide 2-octyl-2H-isothiazol-3-one, 3-(2-aminoethylamino)propyltrimethoxysilane, 3-(2-aminoethylamino)propyltriethoxysilane, 3-aminopropyltriethoxysilane, N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine. May produce an allergic reaction. EUH208

Full text of H- and EUH-statements: see section 16

Parasilico Prestige Colour T

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

CLP Signal word	: -
Hazard statements (CLP)	: H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P273 - Avoid release to the environment. P501 - Dispose of contents and container to a hazardous or special waste collection point.
EUH-statements	: EUH208 - Contains Fungicide 2-octyl-2H-isothiazol-3-one, 3-(2-aminoethylamino)propyltrimethoxysilane, 3-aminopropyltriethoxysilane, N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine. May produce an allergic reaction.

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine (35141-30-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
toluene (108-88-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
methanol (67-56-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzene, C14-30-alkyl derivs	CAS-No.: 68855-24-3 EC-No.: 272-472-8	$\geq 10 - < 25$	Aquatic Chronic 4, H413

Parasilico Prestige Colour T

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Pentanone, O,O',O''-(methylsilylidyne)trioxime	CAS-No.: 37859-55-5 EC Index-No.: 484-460-1 REACH-no: 01-2120004323-76	≥ 0,5 - < 5	Acute Tox. 4 (Oral), H302 (ATE=1133 mg/kg bodyweight) Eye Irrit. 2, H319 STOT RE 2, H373
Titanium dioxide (Note W)(Note 10)	CAS-No.: 13463-67-7 EC-No.: 236-675-5 EC Index-No.: 022-006-00-2 REACH-no: 01-2119489379-17	< 5	Carc. 2, H351
3-aminopropyltriethoxysilane	CAS-No.: 919-30-2 EC-No.: 213-048-4 EC Index-No.: 612-108-00-0 REACH-no: 01-2119480479-24	≥ 0,5 - < 1	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317
3-(2-aminoethylamino)propyltrimethoxysilane	CAS-No.: 1760-24-3 EC-No.: 217-164-6 REACH-no: 01-2119970215-39	≥ 0,1 - < 0,5	Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT SE 3, H335
N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine	CAS-No.: 35141-30-1 EC-No.: 252-390-9	≥ 0,1 - < 0,5	Eye Dam. 1, H318 Skin Sens. 1, H317
toluene substance with a Community workplace exposure limit	CAS-No.: 108-88-3 EC-No.: 203-625-9 EC Index-No.: 601-021-00-3 REACH-no: 01-2119471310-51	< 0,1	Flam. Liq. 2, H225 Repr. 2, H361d Asp. Tox. 1, H304 STOT RE 2, H373 Skin Irrit. 2, H315 STOT SE 3, H336
methanol substance with a Community workplace exposure limit	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-44	< 0,1	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Acute Tox. 3 (Inhalation), H331 (ATE=0,5 mg/l/4h) STOT SE 1, H370

Parasilico Prestige Colour T

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Fungicide 2-octyl-2H-isothiazol-3-one	CAS-No.: 26530-20-1 EC-No.: 247-761-7 EC Index-No.: 613-112-00-5	< 0,025	Acute Tox. 2 (Inhalation), H330 (ATE=0,27 mg/l) Acute Tox. 3 (Dermal), H311 (ATE=311 mg/kg bodyweight) Acute Tox. 3 (Oral), H301 (ATE=125 mg/kg bodyweight) Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
3-(2-aminoethylamino)propyltrimethoxysilane	CAS-No.: 1760-24-3 EC-No.: 217-164-6 REACH-no: 01-2119970215-39	(2,5 ≤C < 100) Eye Irrit. 2, H319 (2,5 ≤C < 100) Skin Sens. 1B, H317
methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-44	(3 ≤C < 10) STOT SE 2, H371 (10 ≤C < 100) STOT SE 1, H370
Fungicide 2-octyl-2H-isothiazol-3-one	CAS-No.: 26530-20-1 EC-No.: 247-761-7 EC Index-No.: 613-112-00-5	(0,0015 ≤C ≤ 100) Skin Sens. 1A, H317

Note 10 : The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.

Note W : It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove victim to fresh air. Allow affected person to breathe fresh air. Allow the victim to rest.

Parasilico Prestige Colour T

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

First-aid measures after skin contact	: After contact with skin, wash immediately and thoroughly with water and soap. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Seek medical attention if ill effect or irritation develops. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/effects after eye contact	: Direct contact with the eyes is likely slightly irritating.
Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

11. Toxicological information.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: All extinguishing media allowed. Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: None known. Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Explosion hazard	: No direct explosion hazard.
------------------	-------------------------------

5.3. Advice for firefighters

Precautionary measures fire	: Exercise caution when fighting any chemical fire. Evacuate unnecessary personnel. Do not breathe fumes from fires or vapours from decomposition.
Firefighting instructions	: Cool down the containers exposed to heat with a water spray. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Wear a self contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: [In case of inadequate ventilation] wear respiratory protection.
------------------	--

6.1.1. For non-emergency personnel

Protective equipment	: Concerning personal protective equipment to use, see section 8.
Emergency procedures	: Avoid contact with skin and eyes. Ventilate area. Evacuate unnecessary personnel.

Parasilico Prestige Colour T

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

6.1.2. For emergency responders

- Protective equipment : For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.
- Emergency procedures : Recover the cleaning water for later disposal. Ventilate area.

6.2. Environmental precautions

Disposal must be done according to official regulations. Do not dispose of waste into sewer. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". Concerning disposal elimination after cleaning, see section 13. See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
- Handling temperature : 5 – 40 °C
- Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in dry, well-ventilated area. Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
- Incompatible products : Strong bases. Strong acids.
- Incompatible materials : Sources of ignition. Direct sunlight.
- Storage temperature : 5 – 25 °C

7.3. Specific end use(s)

Adhesives, sealants.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

methanol (67-56-1)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Methanol
IOEL TWA	260 mg/m ³

Parasilico Prestige Colour T

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

methanol (67-56-1)	
IOEL TWA [ppm]	200 ppm
Remark	Skin
	Skin
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
Ireland - Occupational Exposure Limits	
OEL STEL	260 mg/m ³
OEL STEL [ppm]	200 ppm
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	266 mg/m ³
WEL TWA (OEL TWA) [2]	200 ppm
WEL STEL (OEL STEL)	333 mg/m ³
WEL STEL (OEL STEL) [ppm]	250 ppm
toluene (108-88-3)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Toluene
IOEL TWA	192 mg/m ³
IOEL STEL	384 mg/m ³
IOEL STEL [ppm]	100 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
Ireland - Occupational Exposure Limits	
OEL TWA [1]	192 mg/m ³
OEL TWA [2]	50 ppm
OEL STEL	384 mg/m ³
OEL STEL [ppm]	100 ppm
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	191 mg/m ³
WEL TWA (OEL TWA) [2]	50 ppm
WEL STEL (OEL STEL)	384 mg/m ³
WEL STEL (OEL STEL) [ppm]	100 ppm
Titanium dioxide (13463-67-7)	
Ireland - Occupational Exposure Limits	
OEL STEL	10 mg/m ³ inhalable dust 4 mg/m ³ respirable dust
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	10 mg/m ³ inhalable dust 4 mg/m ³ respirable dust

Parasilico Prestige Colour T

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. Gloves.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: According to product specification.
Appearance	: Paste.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable

Parasilico Prestige Colour T

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Freezing point	: Not applicable
Softening point	: Not applicable
Boiling point	: Not applicable
Flammability	: Non flammable.
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing material according to EC criteria.
Explosive limits	: Not available
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: > 100 °C (ISO 3679)
Auto-ignition temperature	: ≥ 285 °C (calculated value)
Decomposition temperature	: Not available
pH	: insoluble in water
Viscosity, kinematic	: 4270 mm ² /s
Viscosity, dynamic	: 4270 mPa.s (Brookfield spindel 96, 1 rpm)
Non-Newtonian liquid	: Thixotropic behaviour
Solubility	: Water: Insoluble
Partition coefficient n-octanol/water (Log Kow)	: Not applicable for preparations
Partition coefficient n-octanol/water (Log Pow)	: Not applicable for preparations
Vapour pressure	: Does not apply
Vapour pressure at 50°C	: Not applicable.
Density	: 1 g/ml
Relative density	: 1
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

Fungicide 2-octyl-2H-isothiazol-3-one

Boiling point	342 °C
Vapour pressure	4,9 hPa 25°C

methanol

Boiling point	64,7 °C Atm. press.: 1013 hPa
Flash point	9,7 °C Atm. press.: 1013 hPa
Auto-ignition temperature	455 °C
Vapour pressure	169,27 hPa Temp.: 25 °C

2-Pentanone, O,O',O''-(methylsilyldiyne)trioxime

Flash point	82 °C
Auto-ignition temperature	285 °C
Vapour pressure	0,0172 hPa at 20 °C

3-(2-aminoethylamino)propyltrimethoxysilane

Boiling point	140 °C
Flash point	98 °C Atm. press.: 101,3 kPa
Vapour pressure	0,4 Pa at 20°C

Parasilico Prestige Colour T

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

3-aminopropyltriethoxysilane

Vapour pressure	1,7 – 2 Pa
-----------------	------------

N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine

Vapour pressure	0,015 Pa
-----------------	----------

Titanium dioxide

Boiling point	3000 (2500 – 3000) °C
---------------	-----------------------

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known.

10.2. Chemical stability

Stable under normal conditions. Not established.

10.3. Possibility of hazardous reactions

None under normal use. Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

None under normal use. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Parasilico Prestige Colour T

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Benzene, C14-30-alkyl derivs (68855-24-3)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 3000 mg/kg
methanol (67-56-1)	
LD50 oral rat	1187 – 2769 mg/kg bodyweight Animal: rat
LD50 oral	1187 – 2769 mg/kg
LD50 dermal rat	300 mg/kg
LD50 dermal rabbit	15800 – 17100 mg/kg
LC50 Inhalation - Rat	128,2 mg/l/4h
LC50 Inhalation - Rat [ppm]	64000 ppm/4h
LC50 Inhalation - Rat (Vapours)	128,2 mg/l/4h
2-Pentanone, O,O',O''-(methylsilyldiyne)trioxime (37859-55-5)	
LD50 oral rat	1133 – 1234 mg/kg
toluene (108-88-3)	
LD50 oral rat	5580 mg/kg
LD50 dermal rabbit	> 12400 mg/kg
LC50 Inhalation - Rat	28,1 mg/l/4h (OECD 403 method)
3-(2-aminoethylamino)propyltrimethoxysilane (1760-24-3)	
LD50 oral rat	2295 mg/kg
LD50 dermal rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	1,49 – 2,44 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity), Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LC50 Inhalation - Rat (Dust/Mist)	> 1,49 mg/l/4h
3-aminopropyltriethoxysilane (919-30-2)	
LD50 oral rat	2,83 ml/kg male
LC50 Inhalation - Rat [ppm]	> 5 ppm male
N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine (35141-30-1)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	1,49 mg/l/4h
Titanium dioxide (13463-67-7)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity)
LD50 dermal rat	> 10000 mg/kg
LD50 dermal rabbit	> 10000 mg/kg
LC50 Inhalation - Rat	> 6,82 mg/l

Parasilico Prestige Colour T

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Titanium dioxide (13463-67-7)	
LC50 Inhalation - Rat (Dust/Mist)	> 6,82 mg/l/4h
Skin corrosion/irritation	: Not classified pH: insoluble in water
Additional information	: Based on available data, the classification criteria are not met
Titanium dioxide (13463-67-7)	
pH	7
Serious eye damage/irritation	: Not classified pH: insoluble in water
Additional information	: Based on available data, the classification criteria are not met
Titanium dioxide (13463-67-7)	
pH	7
Respiratory or skin sensitisation	: Not classified
Additional information	: (OECD 406 method) Does not cause cutaneous sensitisation for guinea-pigs Conclusion by analogy Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
3-aminopropyltriethoxysilane (919-30-2)	
NOAEL (chronic, oral, animal/male, 2 years)	> 43,8 mg/kg bodyweight
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
methanol (67-56-1)	
NOAEL (animal/male, F0/P)	< 1000 mg/kg bodyweight Animal: mouse, Animal sex: male
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
3-(2-aminoethylamino)propyltrimethoxysilane (1760-24-3)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
2-Pentanone, O,O',O''-(methylsilyldiylidene)trioxime (37859-55-5)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
3-(2-aminoethylamino)propyltrimethoxysilane (1760-24-3)	
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEL (dermal, rat/rabbit, 90 days)	≥ 1545 mg/kg bodyweight Animal: rat
3-aminopropyltriethoxysilane (919-30-2)	
LOAEL (oral, rat, 90 days)	600 mg/kg bodyweight/day
NOAEL (subchronic, oral, animal/male, 90 days)	200 mg/kg bodyweight

Parasilico Prestige Colour T

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine (35141-30-1)	
NOAEL (oral, rat, 90 days)	500 mg/kg bodyweight/day
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Parasilico Prestige Colour T	
Viscosity, kinematic	4270 mm ² /s
2-Pentanone, O,O',O''-(methylsilyldiyl)trioxime (37859-55-5)	
Viscosity, kinematic	16,1 mm ² /s at 20 °C
3-(2-aminoethylamino)propyltrimethoxysilane (1760-24-3)	
Viscosity, kinematic	5,825 mm ² /s

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

11.2.2. Other information

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

Fungicide 2-octyl-2H-isothiazol-3-one (26530-20-1)	
LC50 - Fish [1]	122 µg/l (OECD 203 method)
EC50 - Crustacea [1]	0,42 mg/l (OECD 202 method)
EC50 72h - Algae [1]	0,084 mg/l (OECD 201 method)
ErC50 algae	(OECD 201 method)
NOEC chronic fish	22 µg/l
NOEC chronic crustacea	0,022 mg/l
NOEC chronic algae	0,004 mg/l
methanol (67-56-1)	
LC50 - Fish [1]	15400 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	18260 mg/l (OECD 202 method)
EC50 96h - Algae [1]	≈ 22000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [2]	22000 mg/l Pseudokirchneriella subcapitata
ErC50 algae	16912 mg/l ulva pertusa

Parasilico Prestige Colour T

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

methanol (67-56-1)	
NOEC (chronic)	208 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	7900 mg/l Oryzias latipes
toluene (108-88-3)	
LC50 - Fish [1]	5,5 (≥ 5) mg/l oncorhynchus kisutch
EC50 - Crustacea [1]	3,78 mg/l Daphnia magna
EC50 72h - Algae [1]	10 mg/l
ErC50 algae	3h 134 mg/l
NOEC chronic crustacea	0,74 mg/l Ceriodaphnia dubai
NOEC chronic algae	10 mg/l Skeletonema costatum
3-(2-aminoethylamino)propyltrimethoxysilane (1760-24-3)	
LC50 - Fish [1]	597 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	81 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	126 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	352 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
ErC50 algae	8,8 mg/l (OECD 201 method)
NOEC (chronic)	> 1 mg/l
NOEC chronic algae	3,1 mg/l (OECD 201 method)
3-aminopropyltriethoxysilane (919-30-2)	
LC50 - Fish [1]	> 100 mg/l Brachydanio rerio (zebra-fish)
EC50 - Crustacea [1]	> 100 mg/l Daphnia magna (Big water flea)
EC50 72h - Algae [1]	> 100 mg/l Pseudokirchneriella subcapitata
NOEC chronic algae	72h 1,3 mg/l Desmodesmus subspicatus.
N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine (35141-30-1)	
LC50 - Fish [1]	597 (OECD 203 method)
EC50 - Crustacea [1]	81 mg/l (OECD 202 method)
EC50 72h - Algae [1]	126 mg/l Test method EU C.3
NOEC chronic crustacea	> 1 mg/l (OECD 211 method)
Titanium dioxide (13463-67-7)	
LC50 - Fish [1]	155 mg/l Test organisms (species): other:Japanese Medaka
LC50 - Fish [2]	> 10000 mg/l
EC50 - Crustacea [1]	19,3 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	27,8 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	> 1000 mg/l
EC50 - Other aquatic organisms [2]	61 mg/l

Parasilico Prestige Colour T

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Titanium dioxide (13463-67-7)	
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	> 100 mg/l pseudokirchneriella subcapitata
NOEC (chronic)	≥ 2,92 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic algae	5600 mg/l

12.2. Persistence and degradability

Parasilico Prestige Colour T	
Persistence and degradability	May cause long-term adverse effects in the environment.
Fungicide 2-octyl-2H-isothiazol-3-one (26530-20-1)	
Persistence and degradability	Readily biodegradable.
Biodegradation	3 - 5 days
methanol (67-56-1)	
Persistence and degradability	Readily biodegradable.
toluene (108-88-3)	
Persistence and degradability	Readily biodegradable.
Biochemical oxygen demand (BOD)	1,23 g O ₂ /g substance
3-(2-aminoethylamino)propyltrimethoxysilane (1760-24-3)	
Biodegradation	39 % (OECD 301A method)
3-aminopropyltriethoxysilane (919-30-2)	
Persistence and degradability	Not readily biodegradable. Hydrolysis in water.
Biodegradation	28d 67 % (OECD 301A method)
Titanium dioxide (13463-67-7)	
Persistence and degradability	Not readily biodegradable.

12.3. Bioaccumulative potential

Parasilico Prestige Colour T	
Partition coefficient n-octanol/water (Log Pow)	Not applicable for preparations
Partition coefficient n-octanol/water (Log Kow)	Not applicable for preparations
Bioaccumulative potential	Not established.
Fungicide 2-octyl-2H-isothiazol-3-one (26530-20-1)	
Partition coefficient n-octanol/water (Log Kow)	2,92 (OECD 117 method)
Bioaccumulative potential	Low bioaccumulation potential.
methanol (67-56-1)	
Bioconcentration factor (BCF REACH)	< 10
Partition coefficient n-octanol/water (Log Pow)	-0,77

Parasilico Prestige Colour T

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

methanol (67-56-1)	
Bioaccumulative potential	Low bioaccumulation potential.
2-Pentanone, O,O',O''-(methylsilyldiylne)trioxime (37859-55-5)	
Partition coefficient n-octanol/water (Log Pow)	1,25
toluene (108-88-3)	
Bioaccumulative potential	Bioaccumulation unlikely.
3-aminopropyltriethoxysilane (919-30-2)	
Bioconcentration factor (BCF REACH)	3,4 Cyprinus carpio (Common Carp)
Bioaccumulative potential	not bioaccumulative.
Titanium dioxide (13463-67-7)	
BCF - Fish [1]	352

12.4. Mobility in soil

2-Pentanone, O,O',O''-(methylsilyldiylne)trioxime (37859-55-5)	
Surface tension	69,5 mN/m
toluene (108-88-3)	
Ecology - soil	Product adsorbs onto the soil.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Ecology - waste materials	: Avoid release to the environment.
European List of Waste (LoW) code	: 08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances 08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Parasilico Prestige Colour T

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

Parasilico Prestige Colour T

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Toluene		108-88-3	2902 30 00	Category 3		Annex I

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

For the following substances of this mixture a chemical safety assessment has been carried out:

methanol

toluene

SECTION 16: Other information

Indication of changes:

Composition/information on ingredients. Hazards identification.

Abbreviations and acronyms:	
CAS-No.	Chemical Abstract Service number
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration

Parasilico Prestige Colour T

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:	
EN	European Standard
EC-No.	European Community number
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
IOELV	Indicative Occupational Exposure Limit Value
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
OECD	Organisation for Economic Co-operation and Development
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Data sources	: ECHA (European Chemicals Agency). Supplier's safety documents. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.
Other information	: None.

Full text of H- and EUH-statements:	
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1

Parasilico Prestige Colour T

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Carc. 2	Carcinogenicity, Category 2
EUH071	Corrosive to the respiratory tract.
EUH208	Contains Fungicide 2-octyl-2H-isothiazol-3-one, 3-(2-aminoethylamino)propyltrimethoxysilane, 3-aminopropyltriethoxysilane, N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine. May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H370	Causes damage to organs.
H371	May cause damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B

Parasilico Prestige Colour T

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:

STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 1	Specific target organ toxicity – single exposure, Category 1
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Aquatic Chronic 3	H412	Calculation method
EUH208	EUH208	Calculation method

SDS EU DL Chemicals

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.