


# SAFETY DATA SHEET

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2015/830

# Silirub 1



## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General:

Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital.

After inhalation:

Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

#### After skin contact:

Wash immediately with lots of water. Do not apply (chemical) neutralizing agents without medical advice. Soap may be used. Take victim to a doctor if irritation persists.

#### After eye contact:

Do not apply (chemical) neutralizing agents without medical advice. Remove contact lenses, if present and easy to do. Continue rinsing. Take victim to an ophthalmologist if irritation persists.

#### After ingestion:

Rinse mouth with water. Do not apply (chemical) neutralizing agents without medical advice. Consult a doctor/medical service if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

- 4.2.1 Acute symptoms After inhalation: No effects known. After skin contact: No effects known. After eye contact: No effects known. After ingestion: No effects known.
- 4.2.2 Delayed symptoms No effects known.
- 4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### 5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher. Major fire: Class B foam (not alcohol-resistant).

- 5.1.2 Unsuitable extinguishing media: Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion. Major fire: Water; risk of puddle expansion.
- 5.2. Special hazards arising from the substance or mixture Upon combustion: CO and CO2 are formed.

#### 5.3. Advice for firefighters

5.3.1 Instructions:

- No specific fire-fighting in<mark>structions required.</mark>
- 5.3.2 Special protective equipment for fire-fighters:
  - Gloves. Protective clothing. Heat/fire exposure: compressed air/oxygen apparatus.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

No naked flames.

- 6.1.1 Protective equipment for non-emergency personnel
- See heading 8.2 6.1.2 Protective equipment for emergency responders
  - Gloves. Protective clothing.
  - Suitable protective clothing
  - See heading 8.2

## 6.2. Environmental precautions

Contain released product. Use appropriate containment to avoid environmental contamination.

## 6.3. Methods and material for containment and cleaning up

Cover the solid spill with sand/kieselguhr. Scoop solid spill into closing containers. Wash clothing and equipment after handling.

## 6.4. Reference to other sections

Reason for revision: 1.4;2.2;4.1;5.1;9.1;15.1;15.2

Publication date: 2014-10-07 Date of revision: 2019-10-07

Revision number: 0203

Product number: 55279

See heading 13.				
CTION 7: Handling and	storage			
The information in this section is a gen	eral description. If applicable and available, expos	ure scenarios are attached in annex.	Always use the relevant exp	osure
scenarios that correspond to your ider				
7.1. Precautions for safe hand Keep away from naked flames/hea	it. Observe strict hygiene. Keep container tightly cl	osed.		
	<mark>je, including any incompa</mark> tibilities			
7.2.1 Safe storage requirements: Store in a dry area. Store at roo	m temperature. Meet the legal requirements. Ma	x. storage time: 1 year(s).		
7.2.2 Keep away from:				
Heat sources, oxidizing agents. 7.2.3 Suitable packaging material:				
Plastics.				
7.2.4 Non suitable packaging mate No data available	erial:			
7.3. Specific end use(s)				
If applicable and available, expo	osure scenarios are attached in annex. See informa	tion supplied by the manufacturer.		
TION 8: Exposure cor	ntrols/personal protection			
8.1. Control parameters				
8.1.1 Occupational exposure a) Occupational exposure limit	t values			
	d available these will be listed below.			
b) National biological limit values are applicable an	<mark>ues</mark> d available these will be listed below.			
8.1.2 Sampling methods	d available these will be listed below.			
If applicable and available it wil				
	using the substance or mixture as intended d available these will be listed below.			
8.1.4 Threshold values				
DNEL/DMEL - Workers				
	Туре	Value	Remark	
DNEL/DMEL - Workers triacetoxyethylsilane	Acute local effects inhalation	32.5 mg/m <sup>3</sup>	Remark	
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL	Acute local effects inhalation Long-term local effects inhalation		Remark	
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL DNEL/DMEL - General populat triacetoxyethylsilane	Acute local effects inhalation Long-term local effects inhalation	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup>		
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL)	Acute local effects inhalation Long-term local effects inhalation ion Type	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Value	Remark	
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL DNEL/DMEL - General populat triacetoxyethylsilane	Acute local effects inhalation Long-term local effects inhalation	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup>		
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL PNEC triacetoxyethylsilane	Acute local effects inhalation Long-term local effects inhalation ion Type Long-term local effects inhalation	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Value 6.5 mg/m <sup>3</sup>		
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL PNEC triacetoxyethylsilane Compartments	Acute local effects inhalation Long-term local effects inhalation ion Type Long-term local effects inhalation Value	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Value		
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL PNEC triacetoxyethylsilane	Acute local effects inhalation Long-term local effects inhalation ion Type Long-term local effects inhalation Value 0.2 mg/l	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Value 6.5 mg/m <sup>3</sup>		
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL PNEC triacetoxyethylsilane Compartments Fresh water Marine water Aqua (intermittent releases)	Acute local effects inhalation Long-term local effects inhalation Ion Type Long-term local effects inhalation Value 0.2 mg/l 0.02 mg/l 1.7 mg/l	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Value 6.5 mg/m <sup>3</sup>		
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL PNEC triacetoxyethylsilane Compartments Fresh water Marine water Aqua (intermittent releases) STP	Acute local effects inhalation Long-term local effects inhalation ion Type Long-term local effects inhalation Value 0.2 mg/l 0.02 mg/l 1.7 mg/l 1 mg/l	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Value 6.5 mg/m <sup>3</sup>		
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL PNEC triacetoxyethylsilane Compartments Fresh water Marine water Aqua (intermittent releases) STP Fresh water sediment	Acute local effects inhalation Long-term local effects inhalation ion Type Long-term local effects inhalation Value 0.2 mg/l 0.02 mg/l 1.7 mg/l 1 mg/l 0.74 mg/kg sediment dw	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Value 6.5 mg/m <sup>3</sup> Remark		
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL PNEC triacetoxyethylsilane Compartments Fresh water Marine water Aqua (intermittent releases) STP Fresh water sediment Marine water sediment Marine water sediment	Acute local effects inhalation Long-term local effects inhalation ion Type Long-term local effects inhalation Value 0.2 mg/l 0.02 mg/l 1.7 mg/l 1 mg/l	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Value 6.5 mg/m <sup>3</sup> Remark		
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL PNEC triacetoxyethylsilane Compartments Fresh water Marine water Aqua (intermittent releases) STP Fresh water sediment Marine water sediment Marine water sediment Soil 8.1.5 Control banding	Acute local effects inhalation Long-term local effects inhalation ion Type Long-term local effects inhalation Value 0.2 mg/l 0.02 mg/l 1.7 mg/l 1 mg/l 0.74 mg/kg sediment dw 0.074 mg/kg sediment dw	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Value 6.5 mg/m <sup>3</sup> Remark		
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL PNEC triacetoxyethylsilane Compartments Fresh water Marine water Aqua (intermittent releases) STP Fresh water sediment Marine water sediment Marine water sediment Soil 8.1.5 Control banding If applicable and available it will	Acute local effects inhalation Long-term local effects inhalation ion Type Long-term local effects inhalation Value 0.2 mg/l 0.02 mg/l 1.7 mg/l 1 mg/l 0.74 mg/kg sediment dw 0.074 mg/kg sediment dw	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Value 6.5 mg/m <sup>3</sup> Remark		
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL PNEC triacetoxyethylsilane Compartments Fresh water Marine water Aqua (intermittent releases) STP Fresh water sediment Marine water sediment Marine water sediment Soil 8.1.5 Control banding If applicable and available it wil 8.2. Exposure controls	Acute local effects inhalation Long-term local effects inhalation ion Type Long-term local effects inhalation Value 0.2 mg/l 0.02 mg/l 1.7 mg/l 1 mg/l 0.74 mg/kg sediment dw 0.031 mg/kg soil dw I be listed below.	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Value 6.5 mg/m <sup>3</sup> Remark	Remark	
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL PNEC triacetoxyethylsilane Compartments Fresh water Marine water Aqua (intermittent releases) STP Fresh water sediment Marine water sediment Marine water sediment Soil 8.1.5 Control banding If applicable and available it wil 8.2. Exposure controls The information in this section is a	Acute local effects inhalation Long-term local effects inhalation ion Type Long-term local effects inhalation Value 0.2 mg/l 0.02 mg/l 1.7 mg/l 1 mg/l 0.74 mg/kg sediment dw 0.074 mg/kg sediment dw 0.031 mg/kg soil dw I be listed below. general description. If applicable and available, exp	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Value 6.5 mg/m <sup>3</sup> Remark	Remark	expos
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL PNEC triacetoxyethylsilane Compartments Fresh water Marine water Aqua (intermittent releases) STP Fresh water sediment Marine water sediment Marine water sediment Soil 8.1.5 Control banding If applicable and available it wil 8.2. Exposure controls The information in this section is a scenarios that correspond to your i 8.2.1 Appropriate engineering con	Acute local effects inhalation Long-term local effects inhalation ion Type Long-term local effects inhalation Value 0.2 mg/l 0.02 mg/l 1.7 mg/l 1.7 mg/l 1.7 mg/l 0.74 mg/kg sediment dw 0.074 mg/kg sediment dw 0.031 mg/kg soil dw I be listed below. general description. If applicable and available, explicitly applicable and available.	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Value 6.5 mg/m <sup>3</sup> Remark	Remark	expos
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL PNEC triacetoxyethylsilane Compartments Fresh water Marine water Aqua (intermittent releases) STP Fresh water sediment Marine water sediment Marine water sediment Marine water sediment Soil 8.1.5 Control banding If applicable and available it will 8.2. Exposure controls The information in this section is a scenarios that correspond to your 8.2.1 Appropriate engineering corr Keep away from naked flames/	Acute local effects inhalation Long-term local effects inhalation ion Type Long-term local effects inhalation Value 0.2 mg/l 0.02 mg/l 1.7 mg/l 1.7 mg/l 1.7 mg/l 0.74 mg/kg sediment dw 0.074 mg/kg sediment dw 0.031 mg/kg soil dw I be listed below. general description. If applicable and available, explicitly use. identified use.	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Value 6.5 mg/m <sup>3</sup> Remark	Remark	expos
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL PNEC triacetoxyethylsilane Compartments Fresh water Marine water Aqua (intermittent releases) STP Fresh water sediment Marine water sediment Marine water sediment Marine water sediment Marine water sediment Soil 8.1.5 Control banding If applicable and available it will 8.2. Exposure controls The information in this section is a scenarios that correspond to your i 8.2.1 Appropriate engineering con Keep away from naked flames/ 8.2.2 Individual protection measure	Acute local effects inhalation Long-term local effects inhalation ion Type Long-term local effects inhalation Value 0.2 mg/l 0.02 mg/l 1.7 mg/l 1.7 mg/l 1.7 mg/l 0.74 mg/kg sediment dw 0.074 mg/kg sediment dw 0.031 mg/kg soil dw I be listed below. general description. If applicable and available, explicitly applicable and available.	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Value 6.5 mg/m <sup>3</sup> Remark	Remark	expos
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL PNEC triacetoxyethylsilane Compartments Fresh water Marine water Aqua (intermittent releases) STP Fresh water sediment Marine water sediment Marine water sediment Marine water sediment Soil 8.1.5 Control banding If applicable and available it wil 8.2. Exposure controls The information in this section is a scenarios that correspond to your is 8.2.1 Appropriate engineering con Keep away from naked flames/ 8.2.2 Individual protection measu Observe strict hygiene. Do not a) Respiratory protection:	Acute local effects inhalation Long-term local effects inhalation ion Type Long-term local effects inhalation Value 0.2 mg/l 0.02 mg/l 1.7 mg/l 1 mg/l 0.74 mg/kg sediment dw 0.074 mg/kg sediment dw 0.031 mg/kg soil dw I be listed below. general description. If applicable and available, explication identified use. throls /heat. res, such as personal protective equipment eat, drink or smoke during work.	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Value 6.5 mg/m <sup>3</sup> Remark	Remark	expos
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL PNEC triacetoxyethylsilane Compartments Fresh water Marine water Aqua (intermittent releases) STP Fresh water sediment Marine water sediment Marine water sediment Marine water sediment Soil 8.1.5 Control banding If applicable and available it wil 8.2. Exposure controls The information in this section is a scenarios that correspond to your is 8.2.1 Appropriate engineering con Keep away from naked flames/ 8.2.2 Individual protection measu Observe strict hygiene. Do not a) Respiratory protection: Respiratory protection not requi	Acute local effects inhalation Long-term local effects inhalation ion Type Long-term local effects inhalation Value 0.2 mg/l 0.02 mg/l 1.7 mg/l 1 mg/l 0.74 mg/kg sediment dw 0.074 mg/kg sediment dw 0.031 mg/kg soil dw I be listed below. general description. If applicable and available, explication identified use. throls /heat. res, such as personal protective equipment eat, drink or smoke during work.	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Value 6.5 mg/m <sup>3</sup> Remark	Remark	expos
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL PNEC triacetoxyethylsilane Compartments Fresh water Aqua (intermittent releases) STP Fresh water sediment Marine water sediment Marine water sediment Marine water sediment Soil 8.1.5 Control banding If applicable and available it wil 8.2. Exposure controls The information in this section is a scenarios that correspond to your i 8.2.1 Appropriate engineering con Keep away from naked flames/ 8.2.2 Individual protection measur Observe strict hygiene. Do not a) Respiratory protection: Respiratory protection not reque b) Hand protection: Protective gloves against chem	Acute local effects inhalation Long-term local effects inhalation ion Type Long-term local effects inhalation Value 0.2 mg/l 0.02 mg/l 1.7 mg/l 1 mg/l 0.74 mg/kg sediment dw 0.031 mg/kg soil dw I be listed below. general description. If applicable and available, explicitly applicable and available, explicitly the at. res, such as personal protective equipment eat, drink or smoke during work. uired in normal conditions.	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Value 6.5 mg/m <sup>3</sup> Remark	Remark	expos
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL PNEC triacetoxyethylsilane Compartments Fresh water Marine water Aqua (intermittent releases) STP Fresh water sediment Marine water sediment Marine water sediment Soil 8.1.5 Control banding If applicable and available it wil 8.2. Exposure controls The information in this section is a scenarios that correspond to your is 8.2.1 Appropriate engineering con Keep away from naked flames/ 8.2.2 Individual protection measu Observe strict hygiene. Do not a) Respiratory protection: Respiratory protection in the section is contained flames/ Barbar (Source Section S	Acute local effects inhalation Long-term local effects inhalation ion Type Long-term local effects inhalation Value 0.2 mg/l 0.02 mg/l 1.7 mg/l 1 mg/l 0.74 mg/kg sediment dw 0.031 mg/kg soil dw I be listed below. general description. If applicable and available, explicitly applicable and available, explicitly the at. res, such as personal protective equipment eat, drink or smoke during work. uired in normal conditions.	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Value 6.5 mg/m <sup>3</sup> Remark	Remark	expos
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL PNEC triacetoxyethylsilane Compartments Fresh water Aqua (intermittent releases) STP Fresh water sediment Marine water sediment Marine water sediment Marine water sediment Soil 8.1.5 Control banding If applicable and available it wil 8.2. Exposure controls The information in this section is a scenarios that correspond to your i 8.2.1 Appropriate engineering con Keep away from naked flames/ 8.2.2 Individual protection measur Observe strict hygiene. Do not a) Respiratory protection: Respiratory protection not reque b) Hand protection: Protective gloves against chem	Acute local effects inhalation Long-term local effects inhalation ion Type Long-term local effects inhalation Value 0.2 mg/l 0.02 mg/l 1.7 mg/l 1 mg/l 0.74 mg/kg sediment dw 0.031 mg/kg soil dw I be listed below. general description. If applicable and available, explicitly applicable and available, explicitly the at. res, such as personal protective equipment eat, drink or smoke during work. uired in normal conditions.	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Value 6.5 mg/m <sup>3</sup> Remark	Remark	expos
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL PNEC triacetoxyethylsilane Compartments Fresh water Marine water Aqua (intermittent releases) STP Fresh water sediment Marine water sediment Marine water sediment Marine water sediment Soil 8.1.5 Control banding If applicable and available it wil 8.2. Exposure controls The information in this section is a scenarios that correspond to your is 8.2.1 Appropriate engineering corr Keep away from naked flames/ 8.2.2 Individual protection measu Observe strict hygiene. Do not a) Respiratory protection not reque b) Hand protection: Protective gloves against chem c) Eve protection: Safety glasses. d) Skin protection:	Acute local effects inhalation Long-term local effects inhalation ion Type Long-term local effects inhalation Value 0.2 mg/l 0.02 mg/l 1.7 mg/l 1 mg/l 0.74 mg/kg sediment dw 0.074 mg/kg sediment dw 0.031 mg/kg soil dw I be listed below. general description. If applicable and available, explication identified use. trols heat. res, such as personal protective equipment eat, drink or smoke during work. uired in normal conditions. icals (EN 374).	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Value 6.5 mg/m <sup>3</sup> Remark	Remark	expos
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL PNEC triacetoxyethylsilane Compartments Fresh water Marine water Aqua (intermittent releases) STP Fresh water sediment Marine water sediment Marine water sediment Marine water sediment Soil 8.1.5 Control banding If applicable and available it wil 8.2. Exposure controls The information in this section is a scenarios that correspond to your is 8.2.1 Appropriate engineering corr Keep away from naked flames/ 8.2.2 Individual protection measu Observe strict hygiene. Do not a) Respiratory protection not reque b) Hand protection: Protective gloves against chem c) Eve protection: Safety glasses. d) Skin protection:	Acute local effects inhalation Long-term local effects inhalation ion Type Long-term local effects inhalation Value 0.2 mg/l 0.02 mg/l 1.7 mg/l 1 mg/l 0.74 mg/kg sediment dw 0.074 mg/kg sediment dw 0.031 mg/kg soil dw I be listed below. general description. If applicable and available, explication identified use. trols heat. res, such as personal protective equipment eat, drink or smoke during work. uired in normal conditions. icals (EN 374).	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Nalue 6.5 mg/m <sup>3</sup> Remark	Remark	expos
DNEL/DMEL - Workers triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL DNEL DNEL/DMEL - General populat triacetoxyethylsilane Effect level (DNEL/DMEL) DNEL PNEC triacetoxyethylsilane Compartments Fresh water Marine water Aqua (intermittent releases) STP Fresh water sediment Marine water sediment Marine water sediment Marine water sediment Marine water sediment Soil 8.1.5 Control banding If applicable and available it wil 8.2. Exposure controls The information in this section is a scenarios that correspond to your 8.2.1 Appropriate engineering corr Keep away from naked flames/ 8.2.2 Individual protection measu Observe strict hygiene. Do not a) Respiratory protection not reque b) Hand protection: Protection: Safety glasses.	Acute local effects inhalation Long-term local effects inhalation ion Type Long-term local effects inhalation Value 0.2 mg/l 0.02 mg/l 1.7 mg/l 1 mg/l 0.74 mg/kg sediment dw 0.074 mg/kg sediment dw 0.031 mg/kg soil dw I be listed below. general description. If applicable and available, explication identified use. trols heat. res, such as personal protective equipment eat, drink or smoke during work. uired in normal conditions. icals (EN 374).	32.5 mg/m <sup>3</sup> 32.5 mg/m <sup>3</sup> Value 6.5 mg/m <sup>3</sup> Remark	Remark	expos

	Silirub 1
Protective clothing. 8.2.3 Environmental exposure controls: See headings 6.2, 6.3 and 13	
CTION 9: Physical and chemic	cal properties
9.1. Information on basic physical and o	
Physical form	Paste
Odour	Vinegar odour
Odour threshold	No data available (test not performed)
Colour Particle size	Variable in colour, depending on the composition No data available (test not performed)
Explosion limits	No data available (test not performed)
Flammability	Not classified as flammable
Log Kow	Not applicable (mixture)
Dynamic viscosity	No data available (test not performed)
Kinematic viscosity	No data available (test not performed) No data available (test not performed)
Melting point Boiling point	No data available (test not performed)
Evaporation rate	No data available (test not performed)
Relative vapour density	No data available (test not performed)
Vapour pressure	No data available (test not performed)
Solubility	Water ; insoluble           Organic solvents ; soluble
Relative density	1.03
Decomposition temperature	No data available (test not performed)
Auto-ignition temperature	No data available (test not performed)
Flash point	> 100 °C
Explosive properties	No chemical group associated with explosive properties
Oxidising properties	No chemical group associated with oxidising properties
pH	No data available (test not performed)
CTION 10: Stability and react 10.1. Reactivity Heating increases the fire hazard.	ivity
10.2. Chemical stability Stable under normal conditions.	
10.2. Chemical stability	
<ul> <li>10.2. Chemical stability Stable under normal conditions.</li> <li>10.3. Possibility of hazardous reactions</li> </ul>	
<ul> <li>10.2. Chemical stability Stable under normal conditions.</li> <li>10.3. Possibility of hazardous reactions No data available.</li> <li>10.4. Conditions to avoid Precautionary measures</li> </ul>	
<ul> <li>10.2. Chemical stability Stable under normal conditions.</li> <li>10.3. Possibility of hazardous reactions No data available.</li> <li>10.4. Conditions to avoid Precautionary measures Keep away from naked flames/heat.</li> <li>10.5. Incompatible materials Oxidizing agents.</li> <li>10.6. Hazardous decomposition produce Upon combustion: CO and CO2 are formed</li> </ul>	ets
<ul> <li>10.2. Chemical stability Stable under normal conditions.</li> <li>10.3. Possibility of hazardous reactions No data available.</li> <li>10.4. Conditions to avoid Precautionary measures Keep away from naked flames/heat.</li> <li>10.5. Incompatible materials Oxidizing agents.</li> <li>10.6. Hazardous decomposition product Upon combustion: CO and CO2 are formed</li> </ul>	ets
<ul> <li>10.2. Chemical stability Stable under normal conditions.</li> <li>10.3. Possibility of hazardous reactions No data available.</li> <li>10.4. Conditions to avoid Precautionary measures Keep away from naked flames/heat.</li> <li>10.5. Incompatible materials Oxidizing agents.</li> <li>10.6. Hazardous decomposition produce Upon combustion: CO and CO2 are formed</li> </ul>	ets mation
<ul> <li>10.2. Chemical stability Stable under normal conditions.</li> <li>10.3. Possibility of hazardous reactions No data available.</li> <li>10.4. Conditions to avoid Precautionary measures Keep away from naked flames/heat.</li> <li>10.5. Incompatible materials Oxidizing agents.</li> <li>10.6. Hazardous decomposition produce Upon combustion: CO and CO2 are formed</li> <li>CTION 11: Toxicological infor 11.1. Information on toxicological effect 11.1.1 Test results</li> </ul>	ets mation
<ul> <li>10.2. Chemical stability Stable under normal conditions.</li> <li>10.3. Possibility of hazardous reactions No data available.</li> <li>10.4. Conditions to avoid Precautionary measures Keep away from naked flames/heat.</li> <li>10.5. Incompatible materials Oxidizing agents.</li> <li>10.6. Hazardous decomposition product Upon combustion: CO and CO2 are formed</li> <li>CTION 11: Toxicological infor 11.1. Information on toxicological effect 11.1.1 Test results</li> </ul>	ets mation
<ul> <li>10.2. Chemical stability Stable under normal conditions.</li> <li>10.3. Possibility of hazardous reactions No data available.</li> <li>10.4. Conditions to avoid Precautionary measures Keep away from naked flames/heat.</li> <li>10.5. Incompatible materials Oxidizing agents.</li> <li>10.6. Hazardous decomposition product Upon combustion: CO and CO2 are formed</li> <li>CTION 11: Toxicological infor 11.1. Information on toxicological effect</li> </ul>	ets mation
<ul> <li>10.2. Chemical stability Stable under normal conditions.</li> <li>10.3. Possibility of hazardous reactions No data available.</li> <li>10.4. Conditions to avoid Precautionary measures Keep away from naked flames/heat.</li> <li>10.5. Incompatible materials Oxidizing agents.</li> <li>10.6. Hazardous decomposition product Upon combustion: CO and CO2 are formed</li> <li>CTION 11: Toxicological infor 11.1. Information on toxicological effect 11.1.1 Test results</li> <li>ute toxicity</li> <li>Silirub 1 No (test)data on the mixture available</li> </ul>	ets mation
<ul> <li>10.2. Chemical stability Stable under normal conditions.</li> <li>10.3. Possibility of hazardous reactions No data available.</li> <li>10.4. Conditions to avoid Precautionary measures Keep away from naked flames/heat.</li> <li>10.5. Incompatible materials Oxidizing agents.</li> <li>10.6. Hazardous decomposition product Upon combustion: CO and CO2 are formed</li> <li>CTION 11: Toxicological infor 11.1. Information on toxicological effect 11.1.1 Test results</li> <li>ute toxicity</li> <li>Silirub 1 No (test)data on the mixture available</li> </ul>	ets mation

<u>tria</u>	<u>cetoxyethylsilane</u>										
	Route of exposure	Para	meter	Method	Value		Exposure time	Species		Value	Remark
										determination	
	Oral	LD50	)	OECD 401	1460 mg/	′kg bw		Rat (male /	female)	Experimental value	
	Dermal									Data waiving	
	Inhalation									Data waiving	
<b>^</b>											

Conclusion Not classified for acute toxicity

### Corrosion/irritation

<u>Silirub 1</u> No (test)data on the mixture available

In the light of practical experience, the classification for this mixture is less stringent than the one based on the calculation set out

Route of exposure	Kesult	Method		Exposure time	le II	ime point	Species	Value determination	Remark
Еуе							_	Data waiving	
Еуе	5%: not <mark>irrita</mark>	ting OECD 40	)5	24 h	h	; 24; 48; 72; 168 ours	Rabbit	Literature study	
Skin	Corrosive	Equivale 404	ent to OECD	3 minutes	24	4; 48; 72 hours	Rabbit	Experimental va	ue
Skin	5%: not <mark>irrita</mark>	ting OECD 40	)4	4 h		; 24; 48; 72 hrs; 4 days	7; Rabbit	Literature study	
lot classified as irrita lot classified as irrita lot classified as irrita <b>atory or skin sensitis</b> <u>ib 1</u> lo (test)data on the r udgement is based o	ting to the eyes ting to the resp sation nixture availab	s biratory system Ile							
riacetoxyethylsilane		Bi culcinto							
Route of exposure	Result	Method		Exposure time		oservation time pint	Species	Value determination	on Remark
Skin	Negative	OECD 406		6 h	24	; 48 hours	Guinea pig (female)	Experimental value	
L nclusion Iot classified as sensi Iot classified as sensi ic target organ toxici	tizing for <mark>skin</mark>	ation					(cindle)		
lot classified as sensi lot classified as sensi ic <b>target organ toxici</b> i <u>b 1</u> (test)data on the mi	tizing for skin ty xture available	2				2	(child)		
lot classified as sensi lot classified as sensi ic <b>target organ toxici</b> <u>ib 1</u> (test)data on the mi udgement is based o ria <u>cetoxyethylsilane</u>	tizing for skin ty ixture available n the relevant	e ingredients							
lot classified as sensi lot classified as sensi ic target organ toxici <u>b 1</u> (test)data on the mi udgement is based o riacetoxyethylsilane Route of exposur	tizing for skin ty ixture available n the relevant e Parameter	e ingredients Method	Value	Organ			Exposure time	Species	Value determina
lot classified as sensi lot classified as sensi ic <b>target organ toxici</b> <u>ib 1</u> (test)data on the mi udgement is based o ria <u>cetoxyethylsilane</u>	tizing for skin ty ixture available n the relevant e Parameter	e ingredients	Value	Organ Genera	al	Effect Reduced body weight and food consumption; CNS effects; signs of necropsy	Exposure time	Species Rat (male / female)	determina Experimer value
lot classified as sensi lot classified as sensi ic target organ toxici <u>b 1</u> (test)data on the mi udgement is based o riacetoxyethylsilane Route of exposur	tizing for skin ty ixture available n the relevant e Parameter	ingredients Method Subacute	Value		al	Reduced body weight and food consumption; CNS effects; signs of	Exposure time	Rat (male /	determina Experimer
lot classified as sensi lot classified as sensi ic target organ toxici ic target organ toxici (test)data on the mi udgement is based o riacetoxyethylsilane Route of exposur Oral (stomach tub Dermal Inhalation	tizing for skin ty ixture available n the relevant e Parameter	ingredients Method Subacute	Value		al	Reduced body weight and food consumption; CNS effects; signs of	Exposure time	Rat (male /	determina Experimer value
lot classified as sensi lot classified as sensi ic target organ toxici i (test)data on the mi udgement is based o riacetoxyethylsilane Route of exposur Oral (stomach tub Dermal	tizing for skin ty ixture available n the relevant e Parameter he) chronic toxicity	Method Subacute toxicity test	Value		al	Reduced body weight and food consumption; CNS effects; signs of	Exposure time	Rat (male /	determina Experimer value Data waivi

Reason for revision: 1.4;2.2;4.1;5.1;9.1;15.1;15.2

# Ciliruh 1

				Sili	rub 1				
<u>tria</u>	<u>cetoxyethylsilane</u>								
	Result Negative with metabolic activation, negative without metabolic activation	Method Equivalent to	OECD 471	Test substrate Escherichia coli		Effect No effect	Value dete Experimer	ermination ntal value	Remark
	Negative with metabolic activation, negative without metabolic activation	Equivalent to	OECD 471	Bacteria (S.typh	imurium)	No effect	Experimer	ntal value	
Mutager	nicity (in vivo)								
Jud	(test)data on the mixture a gement is based on the rel		ents						
<u>tria</u>	cetoxyethylsilane Result	IN	lethod	Exposure tir	ne	Test substrate	Organ		Value determination
	Negative					Mouse (male)			
	<u>lusion</u> t classified for mutagenic o	r genotoxic to	xicity						
Carcinog	-	, Berrotonio to							
<u>Silirub</u> No	<u>1</u> (test)data on the mixture a	available							
	gement is based on the rel <b>lusion</b>	evant ingredie	ents						
	t classified for carcinogenic	ity							
Reprodu	ctive toxicity								
Jud	<u>1</u> (test)data on the mixture a gement is based on the rel cetoxyethylsilane		ents						
		Parameter	Method	Value	Exposure tim	ne Species	Effect	Organ	Value determination
	Developmental toxicity	NOAEL	Other	≥ 1600 mg/kg bw/day	17 day(s)	Mouse	No effect		Experimental value
		NOAEL	Other	≥ 1000 mg/kg bw/day	5 day(s)	Mouse	No effect		Experimental value
	Maternal toxicity	NOAEL	Other	≥ 1600 mg/kg bw/day	17 day(s)	Mouse	No effect		Experimental value
		NOAEL	Other	≥ 1000 mg/kg bw/day	5 day(s)	Mouse	No effect		Experimental value
	Effects on fertility	NOAEL (P)	Other	50 mg/kg bw/day		Rat (female)			Experimental value
		NOAEL (P)	Other	≥ 2500 mg/kg bw/day		Rat (female)	No effect		Experimental value
	lusion								
	t classified for reprotoxic o other effects	r developmen	tal toxicity						
Silirub	<u>1</u>								
	(test)data on the mixture a		150						
	effects from short and lon	y-term exposi	41 C						
<u>Silirub</u> Skir	<u>1</u> n rash/inflammation.								
Reason f	or revision: 1.4;2.2;4.1;5.1	;9. <mark>1;15.1;15.2</mark>					date: 2014-10-1 ision: 2019-10-0		
<b>D</b>	number: 0202								C / 10

Product number: 55279

## SECTION 12: Ecological information

## 12.1. Toxicity

### <u>Silirub 1</u>

No (test)data on the mixture available

Judgement is based on the relevant ingredients triacetoxyethylsilane

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	OECD 203	251 mg/l	96 h	Brachydanio rerio	Semi-static system	Fresh water	Experimental value; GLP
Acute toxicity crustacea	EC50	OECD 202	62 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; GLP
	NOEC	OECD 202	43 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; GLP
	EC50	EU Method C.2	168.7 mg/l	48 h	Daphnia magna	Static system	Fresh water	Read-across; GLP
Toxicity algae and other aquatic plants	EC50	OECD 201	76 mg/l	72 h	Scenedesmus subspicatus	Static system	Fresh water	Experimental value; Growth rate
	EC50	OECD 201	73 mg/l	72 h	Scenedesmus subspicatus	Static system	Fresh water	Experimental value; Biomass
	EC50	OECD 201	24.41 mg/l	72 h	Pseudokirchnerie la subcapitata	Static system	Fresh water	Experimental value
	NOEC	EPA 67014- 73-0	25 mg/l	7 day(s)	Pseudokirchnerie la subcapitata	Static system	Fresh water	Read-across; Growtl rate
Long-term toxicity aquatic crustacea	NOEC	OECD 211	≥ 100 mg/l	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Read-across; GLP
Toxicity aquatic micro- organisms	EC50	OECD 209	> 100 mg/l	3 h	Activated sludge	Static system	Fresh water	Read-across; GLP
	NOEC	OECD 301C	100 mg/l	28 h	Activated sludge		Fresh water	Read-across
	Parameter	Method	V	alue	Duration	Specie	S	Value determinatio
Toxicity soil macro-organisms	LC50	Other	>	1000 mg/kg so	oil dw 14 day(s)	Eisenia	fetida	Experimental value
	NOEC	Other	≥	1000 mg/kg so	oil dw 14 day(s)	Eisenia	fetida	Experimental value

## Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

## 12.2. Persistence and degradability

tr	ia	ice	tox	yethy	/lsi	lane

Biodegradation water			
Method	Value	Duration	Value determination
EU Method C.4	74 %; GLP	21 day(s)	Experimental value
Half-life water (t1/2 water)			
Method	Value	Primary	Value determination
		degradation/mineralisati	on
OECD 111: Hydrolysis as a function	of pH < 0.2 minutes	Primary degradation	Experimental value

### **Conclusion**

Contains readily biodegradable component(s)

### 12.3. Bioaccumulative potential

Silirub 1

<u>Silirub 1</u>				
Log Kow				
Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			
triacetoxyethylsilane				
Log Kow				
Method	Remark	Value	Temperature	Value determination
KOWWIN		-1.9	20 °C	QSAR
Conclusion				
Contains bioaccumulative	component(s)			
12.4. Mobility in soil				
12.4. Woomry 11 301				
Reason for revision: 1.4;2.2;4.1;	;5.1;9.1;15.1;15.2		Publication date:	2014-10-07
			Date of revision:	2019-10-07
Revision number: 0203			Product number:	55279 7/2

### triacetoxyethylsilane

 Parameter
 Method
 Value

 log Koc
 SRC PCKOCWIN v2.0
 1

#### **Conclusion**

Contains component(s) with potential for mobility in the soil Contains component(s) that adsorb(s) into the soil

#### 12.5. Results of PBT and vPvB assessment

Due to insufficient data no statement can be made whether the component(s) fulfil(s) the criteria of PBT and vPvB according to Annex XIII of Regulation (EC) No 1907/2006.

#### 12.6. Other adverse effects

Silirub 1

#### Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

Ozone-depleting potential (ODP) Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

## SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

#### 13.1. Waste treatment methods

13.1.1 Provisions relating to waste

#### **European Union**

Can be considered as non hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

08 04 10 (wastes from MFSU of adhesives and sealants (including waterproofing products): waste adhesives and sealants other than those mentioned in 08 04 09). Depending on branch of industry and production process, also other waste codes may be applicable.

#### 13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

#### 13.1.3 Packaging/Container

#### European Union

Waste material code packaging (Directive 2008/98/EC). 15 01 02 (plastic packaging).

## SECTION 14: Transport information

## Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

14.1. UN number	
Transport	Not subject
14.2. UN proper shipping name	
14.3. Transport hazard class(es)	
Hazard identification num <mark>ber</mark>	
Class	
Classification code	
14.4. Packing group	
Packing group	
Labels	
14.5. Environmental hazards	
Environmentally hazardo <mark>us substance mark</mark>	no
14.6. Special precautions for user	
Special provisions	
Limited quantities	
14.7. Transport in bulk according to Annex II of Marpol and the IBC C	
Annex II of MARPOL 73/7 <mark>8</mark>	Not applicable, based on available data

## SECTION 15: Regulatory information

15.1. S	afety, health and e	environmental regulations/legi	slation spe	cific for th	e substance or mixt	ture	
Europ	pean legislation:						
VO	C content Directive 201	0/75/EU					
	VOC content			Remark			
	0.06 % - 0.08 %						
	0.61 g/l - 0.82 g/l						

Reason for revision: 1.4;2.2;4.1;5.1;9.1;15.1;15.2
--

## Publication date: 2014-10-07 Date of revision: 2019-10-07

Value determination

Calculated value

#### REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

use of certain dangerou	us substances, mixtures and articles.		
	Designation of the substance, of the substances or of the mixture	group of	Conditions of restriction
• triacetoxyethylsilane	Liquid substances or mixtures fulfillin criteria for any of the following hazar or categories set out in Annex I to Re (EC) No 1272/2008: (a) hazard classes 2.1 to 2.4, 2.6 and types A and B, 2.9, 2.10, 2.12, 2.13 ca and 2, 2.14 categories 1 and 2, 2.15 t F;	rd classes egulation 2.7, 2.8 ategories 1 types A to erse effects f narcotic a a b narcotic b a c a c a c a c a c a c a c a c a c	<ol> <li>Shall not be used in:</li> <li>ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,</li> <li>tricks and jokes,</li> <li>games for one or more participants, or any article intended to be used as such, even wit ornamental aspects,</li> <li>Articles not complying with paragraph 1 shall not be placed on the market.</li> <li>Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:         <ul> <li>can be used as fuel in decorative oil lamps for supply to the general public, and,</li> <li>persent an aspiration hazard and are labelled with H304,</li> </ul> </li> <li>Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).</li> <li>S. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:         <ul> <li>a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil — or even sucking the wick of lamps – may lead to life- threatening lung damage";</li> <li>c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are legible and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to life- threatening lung damage";</li> <li>c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are legi</li></ul></li></ol>
<u>National legislation Belgium</u> <u>Silirub 1</u> No data available		ſ	
National legislation The Netl Silirub 1	<u>nerlands</u>		
Waterbezwaarlijkheid	A (3); Algemene Beoordelings	methodiek	(ABM)
<u>National legislation France</u> <u>Silirub 1</u> No data available			
National legislation German Silirub 1	У		
WGK	1; Verordnung über Anlagen z	um Umgar	ng mit wassergefährdenden Stoffen (AwSV) - 18. April 2017
triacetoxyethylsilane TA-Luft	5.2.5/1		
National legislation United K			
<u>Silirub 1</u> No data available	<u></u>		
<u>Other relevant data</u> <u>Silirub 1</u> No data available			
15.2. Chemical safety ass	essment sment has been conducted for the mixtu	ure	
No chemical safety assess		( <del>-</del> -	
·	formation		
CTION 16: Other in	formation s referred to under heading 3:		
CTION 16: Other in Full text of any H-statements H302 Harmful if swallow	s referred to under heading 3: ved.		
CTION 16: Other in Full text of any H-statements	s referred to under heading 3: ved. 1 burns and eye damage.	ļ	
CTION 16: Other in Full text of any H-statements H302 Harmful if swallow H314 Causes severe skin H318 Causes serious eye	s referred to under heading 3: ved. 1 burns and eye damage.		
CTION 16: Other in Full text of any H-statements H302 Harmful if swallow H314 Causes severe skin H318 Causes serious eye	s referred to under heading 3: ved. n burns and eye damage. e damage. NTERNAL CLASSIFICATION BY BIG		Publication date: 2014-10-07 Date of revision: 2019-10-07

ADI	Acceptable daily intake
AOEL	Acceptable operator exposure level
CLP (EU-GHS)	Cl <mark>assification, labelling and packaging (G</mark> lobally Harmonised System in Europe)
DMEL	De <mark>rived Minimal Effect Level</mark>
DNEL	De <mark>rived No Effect Level</mark>
EC50	Effect Concentration 50 %
ErC50	E <mark>C50 in terms of reduction of growth ra</mark> te
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
NOAEL	N <mark>o Observed Adverse Effect Level</mark>
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, Bioaccumulative & Toxic
PNEC	Predicted No Effect Concentration
STP	Sludge Treatment Process
vPvB	very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet has been elaborated for use within the European Union, Switzerland, Iceland, Norway and Lichtenstein. It may be consulted in other countries, where local legislation with regards to the set-up of safety data sheets will take precedence. It is your obligation to verify and apply such local legislation. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

